

NUDE[®]

MEDICAL AESTHETICS

The Nude Laser Facial by MOXI[®] Instructions

The MOXI[®] fractional treatment creates outcomes based on the aggressiveness of the treatment taking into account your skin concerns, the health of your skin and your individual healing ability. Due to this, patient response can vary after a MOXI[®] fractional treatment. Erythema (redness) and possibly edema (swelling) are the desired responses within a few minutes after the completion of the procedure. The degree of redness and length of healing time will increase with the depth and coverage of the procedure.

Post Treatment

- Redness is normal and expected. Redness can persist for up to 7 days depending on the aggressiveness of the treatment.
- Pinpoint bleeding may occur. This can last for a few hours–12 hours depending on the treatment depth and may be isolated to certain treated areas. •
- Immediately after treatment, swelling is common and expected. Use of a cold compress or ice packs will help to relieve the swelling. To avoid further swelling, you may choose to sleep in an upright position the first night after the treatment. The first morning post treatment is when swelling is more prevalent, especially under the eyes. Swelling may last 2–4 days depending on the aggressiveness of the treatment.
- The treated area may be extremely warm for 12–24 hours after the treatment. Cold compresses or ice packs may provide comfort during this time.
- On the 2nd or 3rd day after treatment, you will increasingly notice tiny dark spots and bronzed appearance to the treated skin. This is part of the healing process where treated tissue is working its way out of your body as new fresh skin is regenerated. During this time, your skin will be very dry and have a sandpaper texture and will begin to flake and peel. If the face is treated, it could take 5–7 days for the peeling process to be completed. If the neck, chest or anywhere on the body was treated, this process could take up to 2 weeks.
- After the peeling process is complete, your skin will have a rosy, pink glow that will gradually resolve. Your clinician will inform you and advise you of when make-up can be used and which kind.
- If an antiviral was prescribed for you, continue to take as directed.
- Post treatment discomfort may be relieved by over the counter oral pain relievers; i.e. Extra Strength Tylenol.
- Itching may be experienced during the healing phase and is completely normal. Oral Benadryl may help itching but can cause drowsiness. DO NOT scratch the treated area as scarring and pigmentation complications can occur.

Post Care

Immediately After Treatment

- 2 hours post procedure apply CeraVe cream or recommended cream/moisturizer.
- No need to cleanse your skin the evening of the procedure.

AM (Day after procedure through Day 7)

- Cleanse with the recommended cleanser, or other gentle cleanser.
- Apply CeraVe Cream or recommended cream/moisturizer.
- Apply sunscreen; SPF 30 and up is recommended.

PM (repeat steps 1-2)

- Cleanse the skin with the recommended cleanser, or other gentle cleanser.
- Apply CeraVe Cream or recommended cream/moisturizer.
- Use your hands to gently apply the cleanser and water and finish by patting dry with a soft cloth.
- DO NOT rub, scrub, use an exfoliant or a skin care brush e.g. Clarisonic in the treated area. Doing so could result in scarring and pigmentation complications.
- CeraVe Cream or recommended cream/moisturizer should be applied generously over treated area and reapplied whenever your skin feels dry.
- Very fine flaking generally occur within 72 hours post treatment and should be allowed to come off naturally. DO NOT PICK, RUB, OR FORCE OFF ANY SKIN DURING THE HEALING PROCESS, THIS COULD RESULT IN SCARRING, PIGMENTATION COMPLICATIONS AND INFECTION! Gently washing the skin more frequently will help to promote the peeling process.
- Sunscreen is a MUST and should be used daily beginning the day of treatment and used vigilantly for up to 3 months post procedure. Apply sunscreen 20 minutes before sun exposure. Reapply sunscreen every 2 hours. If direct sun exposure is necessary, wear a hat and clothing that covers the treated area. If treated area is exposed to sun (direct or indirect) blistering, scarring, hyperpigmentation or hypo-pigmentation can / will occur. Sun exposure should be avoided for 2 months post treatment.
- Typically after the peeling process is complete, make up can be worn.
- When showering in the next few days, be sure to avoid getting shampoo directly on the treated area. You may consider taking your shower with the back of your head to the water to avoid directly hitting your face with the full force stream of the water.
- Avoid strenuous exercise and sweating for 24–48 hours.